

CHANGES FROM SCHEME PERMITTED UNDER ABP-307415-20 - FIFTH FLOOR

RECONFIGURATION OF LIFT/STAIR CORES TO COMPLY WITH DAC/FSC REQUIREMENTS.

EN-SUITES REMOVED FROM ALL 2 BED UNITS TO ALLOW SPACE FOR APARTMENT FRONT DOORS TO MOVE CLOSER TO THE PROTECTED CORES AND COMPLY WITH THE

CORRIDOR LENGTHS REDUCED AND DOORS MOVED CLOSER TO CORES TO ALL GABLE 2 BED UNITS TO SATISFY TRAVEL DISTANCES TO SUIT FSC.


ALL PERMITTED BEDROOM DOORS OPENING ON TO BALCONIES CHANGED TO WINDOWS TO IMPROVED SAFETY AND SECURITY.

BLOCK 2 & 4 ROOFS: 4 ADDIIONAL SMOKE CONTROL AOV'S AND LIFT OVERRUNS ADDED TO COMPLY WITH REQUIREMENTS OF

48 LOW-PITCH PV PANELS ADDED FOR COMPLIANCE WITH BUILDING REGS PART L

GLAZED ATRIUM REMOVED ABOVE STAIR AND LIFT CORE

LISIEUX PARK



Notes	Issue Status	No. Date Revision Initials
Copyright Reserved Work to figured dimensions only. Do not scale drawing. The contractor is responsible for checking all levels and dimensions on site and shall refer all discrepancies to the Architect Where appropriate, for details of r.c. structure, or mechanical and electrical details, see Engineers drawings Proprietary items shall be fixed in strict accordance with manufacturers instructions. Sizes of proprietary items shall be checked with manufacturer. The contractor shall be responsible for the coordination of structure, finishes and services.	Progress	P03 06.10.2023 Planning Permisison Application - General Amendments MG
	Planning Application	
	Fire Cert	
	Disability Cert	
	Tender	
	Construction	
	As Built	
	Information Only	

M:\Project Section - Current\6275 Lisieux Hall\CAD\Planning\(06) General Amendments Application\LIS-BKD-ZZ-05-M2-A-1100_Floor Plan 05.dwg 19/10/2023 15:14:00

ect	RESIDENTIAL APARTMENTS, LISIEUX PARK Murphystown Road, leopardstown, Dublin 18
ving Title	Proposed Fifth Floor Plan

SR FF Date 03.04.2023 job origin zone level type dis sheet no.

LIS - BKD - 00 - 05 - DR - A - 1100

