



ESB double substation subject of separate PP application LRD23A/0363



CHANGES FROM SCHEME PERMITTED UNDER ABP-307415-20 - ROOF LEVEL

BLOCK 1 ROOF: 2 ADDITIONAL SMOKE CONTROL AOV'S AND 1 LIFT OVERRUN ADDED TO COMPLY WITH REQUIREMENTS OF FSC.


36 LOW-PITCH PV PANELS ADDED FOR COMPLIANCE WITH BUILDING REGS PART L

GLAZED ATRIUM REMOVED ABOVE STAIR AND LIFT CORE



PROPOSED ROOF PLAN

LISIEUX PARK



Notes	Issue Status
1. Copyright Reserved	Progress
2. Work to figured dimensions only. Do not scale drawing.	Planning Application
3. The contractor is responsible for checking all levels and dimensions on site and shall refer all discrepancies to the Architect.	Fire Cert
4. Where appropriate, for details of r.c. structure, or mechanical and electrical details, see Engineers drawings.	Disability Cert
5. Proprietary items shall be fixed in strict accordance with manufacturers instructions.	Tender
6. Sizes of proprietary items shall be checked with manufacturer.	Construction
7. The contractor shall be responsible for the coordination of structure, finishes and services.	As Built
	Information Only

No.	Date	Revision	Initials
P03	06.10.2023	Planning Permission Application - General Amendments	MG

Project		RESIDENTIAL APARTMENTS, LISIEUX PARK		6-7 HARDCOURT TERRACE, DUBLIN 2, IRELAND	
Drawing Title		Proposed Roof Plan		11 369 1 818 2100 1 1 369 1 876 7385	
Stage	Scale	Drawn	Appt	Date	
Planning	1:200@A1	MG	FF	23.05.2022	
Project Code	job	origin	zone	level	type
6275	LIS	BKD	00	RF	DR
				sheet no.	status
				1100	rev
					P03

bkdarchitects
BURKE-KENNEDY DOYLE